


ArcGIS ENTERPRISE

Functionality Matrix



ArcGIS ENTERPRISE

Functionality Matrix

1071

Included

Additional Purchase

Only applicable if you have the corresponding ArcGIS Desktop extension

SERVER CAPABILITIES

Run on Windows

Run on Linux

Deploy in the cloud

Deploy on-premises

Deploy disconnected from the open Internet

Script and automate workflows

Create analytical models and model chains

Edit data on the web

Create OGC-compliant web services

Convert location information to x,y (geocode)

Visualize data as a schematic diagram

Support disconnected/field editing

Create geoprocessing services from ArcGIS Desktop analysis tools

Create geoprocessing services as web tools

Serve ArcGIS 3D Analyst tools ¹

Serve ArcGIS Business Analyst tools and apps

Serve ArcGIS Geostatistical Analyst tools ¹

Serve ArcGIS Spatial Analyst tools ¹

Create dynamic image and raster mosaics

On-the-fly and persisted raster processing


Process and analyze big data

Analyze streaming data in real time

Generate geoenabled alerts

Create and monitor geofences

Utilize data science libraries



02

03

04

05

06

07

80

09

- Included
- Additional Purchase
- ² The only geoprocessing services that can be served are those that are preconfigured within the server; you cannot add or modify geoprocessing services.
- ³ ArcGIS Network Analyst for Server extension is required.

SERVICE TYPES

Cached service-Map, image

Dynamic map service

Feature service

Feature service (read-only)

Geocoding service

Geodata service

Geometry service

Geoprocessing service

Image service-From mosaic dataset

Image service-From single raster

Network service

Print service

Ready-to-use Python Notebooks

Schematic service

Stream service

HOSTED LAYER TYPES

Feature layer

Imagery layer


Scene layer

Vector tile layer


CONTENT

ArcGIS Living Atlas of the World

StreetMap Premium for ArcGIS (display, routing, geocoding)



Raster tile layer



02 03

04

05

06 07

80

09 10

- Included
- O Additional Purchase
- Windows Only
- ⁵ GeoEvent Server can ingest data from system files. Data in a system file should be text readable and formatted as delimited text, generic JSON, or XML. GeoEvent Server can poll a feature service's feature layer for feature records and process these as event records. GeoEvent Server integrates with traditional relational geodatabases (RDBMS) through a feature service; direct connections to underlying database tables are not supported.
- 6 ArcGIS Utility Network Management extension is required.

EXTENSIONS

ArcGIS Network Analyst

ArcGIS for INSPIRE

ArcGIS Data Interoperability 4

ArcGIS Data Reviewer 4

ArcGIS Utility Network Management

ArcGIS Workflow Manager 4

ArcGIS for Maritime 4

Esri Defense Mapping ⁴

Esri Production Mapping ⁴

Esri Roads and Highways 4

INPUT DATA TYPES

3D feature (points, objects, extrusions)

3D scenes

Address locators

Big data-Feature

Big data-Imagery/Raster

Feature data (points, lines, polygons)

Imagery/Raster data-Mosaic dataset

Imagery/Raster data-Single raster

Integrated mesh

Lidar/Terrain data-Mosaic dataset

Lidar/Terrain data-Single raster

Multipatch data


Point clouds


Raster elevation surfaces


Real-time data streams

Tabular data

Utility networks







02

03

04

05

06

07

80

09

User Roles

Portal capabilities are unlocked by the role you assign the User Type. You can use the default roles as a base to create custom roles.

COMPATIBLE USER TYPES

GIS Professional

Creator

Field Worker

Editor

Viewer

Administrator Data Latinor Data Viene

ArcGIS ENTERPRISE PORTAL CAPABILITIES

Browse and view data, map layers, web maps, and apps

Visualize data on a map

Visualize data in 3D

Query and filter data dynamically

Search for a location (geosearch)

Generate turn-by-turn directions

Change the way the data is styled (symbolize)

Measure distances

Add items

Publish layers from existing items

Convert location information to x,y (geocode)

Save data as map layers and web maps

Share data, map layers, and web maps with others

Create web mapping applications from web maps

Edit data

Save modified data as a new item

Analyze data

Organize content into groups

Apply security to data, map layers, web maps, and apps

Create dynamic data views as layers

Use the built-in site builder to create custom landing pages


Establish trusted sharing to another GIS

Manage app licensing

Add and manage user membership of the GIS

Disable member accounts

Delete members



10

11

02

03

04

05

06

07

80

Supported **Databases** and Data Connections

- ⁷ To use cloud-hosted databases, your ArcGIS Enterprise deployment must be colocated with the database in the same cloud environment.
- ⁸ Compatible with publishing workflows between ArcGIS Enterprise 10.6 and up and ArcGIS Pro 2.1 and up. SAP HANA enterprise geodatabases cannot be used with older versions of ArcGIS Enterprise or ArcGIS Desktop (ArcMap or ArcGIS Pro). Not compatible with ArcMap.
- ⁹ GeoAnalytics Server also supports writing your analysis results back to these sources.
- Shapefiles, Parquet, ORC, and delimited files are supported.
- ¹¹Support for the input data sources listed are shipped with the software. GeoEvent Server also supports writing back to these sources. Support for additional input data sources can be added to the software from the ArcGIS GeoEvent Server Gallery and the ArcGIS GeoEvent Server



Supported database types for enterprise geodatabases + query layers

Amazon Aurora PostgreSQL Amazon RDS for Microsoft SQL Server 7 Amazon RDS for PostgreSQL⁷ IBM DB2 **IBM Informix** Microsoft SQL Server Microsoft Azure SQL Database 7 Microsoft Azure Database for PostgreSQL Oracle PostgreSQL SAP HANA 8

Supported database types for query layers

Altibase Dameng IBM Netezza **SQLite** Teradata

Input data supported by GeoAnalytics Server

Hosted feature layers Feature services Stream services Big Data File Shares

- Apache Hadoop HDFS 9
- Apache Hive
- AWS S3 9, 10
- Azure Data Lake Store 9, 10
- Local and Network File Shares 9, 10
- Microsoft Azure Storage 9

Raster stores supported by Image Server when running Raster Analytics

Alibaba Cloud OSS AWS S3 **Local File Shares** Microsoft Azure Storage

Input data supported by GeoEvent Server 11

Hosted feature layers Feature services Stream services Local and Network File Shares **Network Protocols**

- HTTP
- TCP
- UDP
- RSS
- WebSocket

03


02

04

05 06

07

80 09



Supported Cloud Environments

ArcGIS Enterprise can be deployed on any cloud platform using infrastructure that meets the system requirements. For Amazon Web Services (AWS) and Microsoft Azure, ArcGIS Enterprise comes with prebuilt images and deployment tooling that makes it even easier to install and configure your deployment.

In addition to deploying in various cloud platforms, ArcGIS Enterprise has support for cloud native features in several clouds. This includes support for cloud native storage and support for cloud managed databases. See this functionality matrix for an overview and the documentation for specific details on what features are supported with the different cloud stores.

Cloud native storage

- AWS S3
- Microsoft Azure Storage
- Alibaba Cloud OSS

Supported OGC and Open Web Services

As part of Esri's Open Vision, ArcGIS GIS Server (Advanced and Standard) in ArcGIS Enterprise can serve out the following Open Geospatial Consortium (OGC) and open web services:

- WMS-Web Map Service (versions 1.0, 1.1, 1.1.1, and 1.3)
- WFS–Web Feature Service (versions 1.0, 1.1, and 2.0)
- WCS-Web Coverage Service (versions 1.0.0, 1.1.0, 1.1.1, 1.1.2, and 2.0.1)
- WMTS-Web Map Tile Service (version 1.0)
- WPS–Web Processing Service (version 1.0)
- KML–Keyhole Markup Language (version 2.2)
- GeoJSON

ArcGIS Server licensed as Image Server will be able to serve out Web Coverage Services at the same version levels as listed for ArcGIS GIS Server.

Security, Authentication, and Authorization

ArcGIS Enterprise comes with a robust and effective security framework that includes options for managing access and enforcing permissions for secured resources. Supported configurable security settings include the following:

- Web-tier authentication (IWA, PKI)
- GIS-tier authentication (built-in identity)
- Enterprise logins (SAML 2.0)
- Enterprise Groups (Active Directory, LDAP, and SAML 2.0)
- TLS 1.2 and optional support for TLS 1.0 and TLS 1.1 for backward compatibility

02

03

05

06

07 **08**

09



Deploying ArcGIS Enterprise

Only a deployment that was set up using the tool can be upgraded. You can deploy ArcGIS Enterprise manually–installing and configuring each component in sequence, or you can automate the deployment process by using one of the ArcGIS Enterprise deployment automation tools. Before deciding on a deployment automation tool, you should have planned the type of deployment that you will need (for example, single-machine, highly available) and be aware of any other system or architectural specifications your organization has outlined (for example, you must deploy using Windows, Linux, in a cloud environment).

The following matrix compares common deployment characteristics with the ArcGIS Enterprise deployment automation tools and can be a useful guide in choosing the appropriate deployment automation tool.

DEPLOYMENT CHARACTERISTICS

Cloud deployments

On-premises deployments

Windows OS

Linux OS

Single-machine deployments

Multi-machine deployments

High availability deployments

Set up base ArcGIS Enterprise deployment

Set up GIS Server

Set up Image Server

Set up GeoEvent Server

Set up GeoAnalytics Server

Set up Notebook Server


Can be used to upgrade the deployment 12

Provides configurable deployment templates

Provides configurable machine images

Provides command line interface

Provides wizard-style interface



1011

02

03

04

05

06

07

80

User Type Licensing

¹³The Workgroup level of ArcGIS Enterprise supports a maximum of 10 users per deployment regardless of edition. ArcGIS Enterprise Workgroup Standard includes five Creator User Types. You can add up to five additional Named Users (Viewer, Creator, or a combination thereof), so long as the total number of users for your organization does not exceed 10. As ArcGIS Enterprise Workgroup Advanced already includes 10 Creator User Types, additional Named Users (of any level) cannot be added.



ArcGIS Enterprise uses an identity-based security model. To access content secured within ArcGIS Enterprise, individuals must be a member of the ArcGIS Enterprise deployment and have an identity within the system. Throughout ArcGIS, identities are licensed and allocated through User Type licensing.

There are five general-purpose User Types: Viewer, Editor, Field Worker, Creator, and GIS Professional.

Viewers can access, view, and interact with any of the items in your portal but cannot edit, share, or create any new content. ArcGIS Enterprise Standard and Advanced include unlimited Viewers at no additional cost. Creators can be assigned a broad range of privileges. Users with the Creator User Type can create, own, analyze, share, and store data and content within the ArcGIS Enterprise portal.

The Editor, Field Worker, and GIS Professional User Types include a mix of capabilities and included applications. For example, the Field Worker can edit existing datasets through field apps like Survey123 for ArcGIS, Workforce for ArcGIS, and Collector for ArcGIS. The Editor can edit existing data and add new data. The GIS Professional can do everything a Creator User Type can do, and includes access to ArcGIS Pro.

USER TYPES INCLUDED WITH INITIAL PURCHASE

| ArcGIS ENTERPRISE EDITION/LEVEL | CREATOR USER TYPE | VIEWER USER TYPE |
|---|----------------------|---------------------|
| ArcGIS Enterprise Standard | 5 | Unlimited |
| ArcGIS Enterprise Advanced | 50 | Unlimited |
| ArcGIS Enterprise Workgroup Standard ¹³ | 5 | 0 |
| ArcGIS Enterprise Workgroup Advanced ¹³ | 10 | 0 |

Note: The information listed here may not be applicable if you licensed ArcGIS Enterprise as part of a special program, such as an enterprise agreement (EA) or an Education Site License. Contact your Esri representative for more details on how User Types apply to your organization.

Historical: A Viewer is functionally equivalent to a Level 1 Named User found in previous releases, and a Creator is equivalent to a Level 2 Named User.



02

03

04

05

06

07

80

09

Licensing

ArcGIS ENTERPRISE STANDARD AND ADVANCED

You can license ArcGIS Enterprise in two editions, offered at two different capacity levels. The editions are Standard and Advanced, and the levels are ArcGIS Enterprise and ArcGIS Enterprise Workgroup. Collectively, we refer to ArcGIS Enterprise to mean any edition or level when there isn't a need to distinguish.

ArcGIS ENTERPRISE WORKGROUP LEVEL

ArcGIS Enterprise Workgroup is a lower capacity level of ArcGIS Enterprise. It offers all the same functionality as ArcGIS Enterprise but is designed for use in smaller teams and organizations. The Workgroup level has the following differences:

- There is a limit of 10 simultaneous desktop connections to workgroup geodatabases. Workgroup geodatabases are only supported on Microsoft SQL Server Express and have a maximum size of 10 GB.
- The Workgroup level is only licensed for use with file-based data sources (e.g., file geodatabases) and workgroup geodatabases. It is not licensed for use with enterprise geodatabases.
- The base ArcGIS Enterprise deployment must be deployed all-in-one on a single machine with up to four cores.
- Each server role has a four-core maximum. The additional roles can be deployed on machines that are separate from the base deployment. The spatiotemporal big data store from ArcGIS Data Store may be configured on a single, separate four-core machine.

For more information and to determine if ArcGIS Enterprise Workgroup is a good fit for your organization, contact your local Esri representative.

OTHER SERVER LICENSING

ArcGIS GIS Server Basic is a limited-functionality GIS server that primarily provides enterprise geodatabase functionality. ArcGIS GIS Server Basic cannot be federated as part of an ArcGIS Enterprise deployment and does not enable any Web GIS access for functionality.



02

03

04