





ArcGIS ENTERPRISE Functionality Matrix

ArcGIS Enterprise Functionality Matrix

ArcGIS Enterprise is the foundational system for geographic information system (GIS) technology, mapping and visualization, analytics, and Esri's suite of applications. Running in customers' own infrastructure, it is software that can be used in the cloud and on-premises.

ArcGIS Enterprise includes several types of servers such as ArcGIS GIS Server, ArcGIS Image Server, ArcGIS GeoEvent Server, ArcGIS GeoAnalytics Server, and ArcGIS Notebook Server, providing comprehensive functionality for mapping, image exploitation, real-time data, big data analytics, and data science. It also powers the full suite of applications for field data collection, analytics, operational overviews, and workforce tracking.

This functionality matrix features the vast and diverse capabilities supported by the various servers so you can identify which best fit your needs.

You can manage, map, analyze, and share GIS data with ArcGIS Enterprise to power your data-driven decisions. ArcGIS Enterprise comes with enterprise-ready features including full data management control that empowers you to visualize your data spatially, perform analysis in your web browser to discover patterns and trends, and share and collaborate inside and outside your organization.

With ArcGIS Enterprise, you have complete control over your deployment, whether on physical or virtualized machines or cloud infrastructure. Esri provides tools to get you started including wizard-like builders for all-in-one deployments, Chef and PowerShell Desired State Configuration (DSC) scripts to automate custom deployments, and machine images to jumpstart cloud deployments on Amazon Web Services (AWS) and Microsoft Azure.

Powerful, collaborative, and secure–ArcGIS Enterprise epitomizes modern GIS in your infrastructure.

11

02

ArcGIS Enterprise Functionality Matrix

ArcGIS ENTERPRISE Functionality Matrix

10.8





Additional
Purchase

- ¹ It is recommended to deploy Notebook Server on Linux. See the documentation for details.
- ² Only applicable if you have the corresponding ArcGIS Desktop or ArcGIS Pro extension.

SERVER CAPABILITIES

Run on Windows

Run on Linux
Deploy in the cloud
Deploy on-premises
Deploy disconnected from the open internet
Script and automate workflows
Create analytical models and model chains
Edit data on the web
Create OGC-compliant web services
Convert location information to x,y (geocode)
Visualize data as a schematic diagram
Support disconnected/field editing
Publish geoprocessing services and web tools
Serve ArcGIS 3D Analyst tools ²
Serve ArcGIS Geostatistical Analyst tools ²
Serve ArcGIS Spatial Analyst tools ²
Create dynamic image and raster mosaics
Perform on-the-fly raster processing and analytics
Process and analyze big data
Analyze streaming data in real time
Generate geoenabled alerts
Create and monitor geofences

Use data science Python libraries





SERVICE TYPES

- Cached service-Map, image
- Dynamic map service

Feature service

Geocoding service

Geodata service

Geometry service

Geoprocessing service

Image service–From mosaic dataset

Image service-From single raster

Network service

Parcel fabric service

Print service

Ready-to-use Python Notebook

Schematic service

Stream service

Utility network service

HOSTED LAYER TYPES

Feature layer	•	•			
Hosted map image layer					02
Imagery layer			•		02
Scene layer	•	•			03
Raster tile layer	•				04
Vector tile layer	•				05
					06
CONTENT					07
ArcGIS Living Atlas of the World	•	•			08
ArcGIS StreetMap Premium					00

0

ο

ArcGIS StreetMap Premium (display, routing, geocoding)



ArcGIS Enterprise Functionality Matrix

09

10

- Included
- Additional \mathbf{O} Purchase
- ³ The only geoprocessing services that can be served are those that are preconfigured within the server; you cannot add or modify geoprocessing services.
- ⁴ ArcGIS Network Analyst extension is required.



0

0

0

0

0

0

0

0

0

0

0

0

Ο

0

0

0

EXTENSIONS

ArcGIS Network Analyst ArcGIS for INSPIRE ArcGIS Data Interoperability ⁵ ArcGIS Data Reviewer ⁵ ArcGIS Workflow Manager ⁵ ArcGIS for Maritime ⁵

Esri Defense Mapping ⁵

Esri Production Mapping⁵

Esri Roads and Highways⁵

INPUT DATA TYPES

3D feature (points, objects, extrusions) 3D scenes Address locators Big data-Feature Big data-Imagery/Raster Feature data (points, lines, polygons) Imagery/Raster data-Mosaic dataset Imagery/Raster data-Single raster Integrated mesh Lidar/Terrain data-Mosaic dataset Lidar/Terrain data-Single raster Multipatch data Parcel fabric Point clouds Raster elevation surfaces Real-time data streams Tabular data Utility networks



Purchase

⁵ Windows Only

⁶ GeoEvent Server can ingest data from system files. Data in a system file should be text readable and formatted as delimited text, generic JSON, or XML. GeoEvent Server can poll a feature service's feature layer for feature records and process these as event records. GeoEvent Server integrates with traditional relational geodatabases (RDBMS) through a feature service; direct connections to underlying database tables are not supported.



ArcGIS Enterprise Functionality Matrix

02

03

04

05

06

07

80

09

10

User Roles

Portal capabilities are unlocked by the role you assign the user type. You can use the default roles as a base to create custom roles.

COMPATIBLE USER TYPES

GIS Professional	
Creator	
Field Worker	
Editor	
Viewer	



ArcGIS ENTERPRISE PORTAL CAPABILITIES

Browse and view data, map layers, web maps, and apps 🛛 🔹 🔹 🔹	•
Visualize data on a map	•
Visualize data in 3D	•
Query and filter data dynamically	•
Search for a location (geosearch)	•
Generate turn-by-turn directions	
Change the way the data is styled (symbolize)	
Measure distances	
Add items	
Publish layers from existing items	
Convert location information to x,y (geocode)	
Save data as map layers and web maps	
Share data, map layers, and web maps with others	
Create web mapping applications from web maps	
Edit data	02
Save modified data as a new item	0.2
Analyze data	03
Organize content into groups	04
Apply security to data, map layers, web maps, and apps	05
Create dynamic data views as layers	
Use the built-in site builder to create custom landing pages	06
Establish trusted sharing with another GIS	07
Manage app licensing	08
Add and manage user membership of the GIS	
Disable member accounts	09
Delete members	10

Supported Databases and Data Connections

- 7 To use cloud-hosted databases, your ArcGIS Enterprise deployment must be colocated with the database in the same cloud environment.
- ⁸ Compatible with publishing workflows between ArcGIS Enterprise 10.6 and up and ArcGIS Pro 2.1 and up. SAP HANA enterprise geodatabases cannot be used with older versions of ArcGIS Enterprise or ArcGIS Desktop (ArcMap or ArcGIS Pro).
- ⁹ GeoAnalytics Server also supports writing your analysis results back to these sources.
- ¹⁰Shapefiles, Parquet, ORC, and delimited files are supported.

¹¹ Support for the input data sources listed is shipped with the software. GeoEvent Server also supports writing back to these sources. Support for additional input data sources can be added to the software from the ArcGIS GeoEvent Server Gallery and the ArcGIS GeoEvent Server Partner Gallery.

Supported database types for enterprise geodatabases + query layers	Supported database types for query layers
Amazon Aurora PostgreSQL Amazon RDS for Microsoft SQL Server ⁷ Amazon RDS for PostgreSQL ⁷ IBM DB2 IBM Informix Microsoft SQL Server Microsoft Azure SQL Database ⁷ Microsoft Azure Database for PostgreSQL Oracle PostgreSQL SAP HANA ⁸	Dameng SQLite Teradata
Input data supported by ArcGIS GeoAnalytics Server	Raster stores supported by ArcGIS Im Server when running raster analytics
Hosted feature layers Feature services Stream services Big data file shares - Apache Hadoop HDFS ⁹ - Apache Hive - AWS S3 ^{9, 10} - Azure Data Lake Store ^{9, 10} - Local and network file shares ^{9, 10} - Microsoft Azure Storage ⁹	Alibaba Cloud OSS AWS S3 Local file shares Microsoft Azure Storage
Input data supported by ArcGIS GeoEvent Server ¹¹	
Hosted feature layers Feature services Stream services Local and network file shares Kafka Network protocols - HTTP - TCP - UDP - RSS - WebSocket	

02

03

04

05

06

07

80

09

10

11

GIS Image



Supported Cloud Environments

ArcGIS Enterprise can be deployed on any cloud platform using infrastructure that meets the system requirements. For AWS and Microsoft Azure, ArcGIS Enterprise comes with prebuilt images and deployment tooling that makes it even easier to install and configure your deployment.

In addition to deploying in various cloud platforms, ArcGIS Enterprise supports cloud native features in several clouds. This includes support for cloud native storage and cloud-managed databases. See this functionality matrix for an overview and the documentation for specific details on what features are supported with the different cloud stores.

Cloud native storage

- AWS S3
- Microsoft Azure Storage
- Alibaba Cloud OSS

Supported OGC and Open Web Services

As part of Esri's Open Vision, ArcGIS GIS Server (Advanced and Standard) in ArcGIS Enterprise can serve out the following Open Geospatial Consortium (OGC) and open web services:

- WMS–Web Map Service (versions 1.0, 1.1, 1.1.1, and 1.3)
- WFS–Web Feature Service (versions 1.0, 1.1, and 2.0)
- WCS–Web Coverage Service (versions 1.0.0, 1.1.0, 1.1.1, 1.1.2, and 2.0.1)
- WMTS–Web Map Tile Service (version 1.0)
- WPS–Web Processing Service (version 1.0)
- KML–Keyhole Markup Language (version 2.2)
- GeoJSON

ArcGIS Server licensed as Image Server will be able to serve out Web Coverage Service at the same version levels as listed for ArcGIS GIS Server.

Security, Authentication, and Authorization

ArcGIS Enterprise comes with a robust and effective security framework that includes options for managing access and enforcing permissions for secured resources. Supported configurable security settings include the following:

- Web-tier authentication (IWA, PKI)
- GIS-tier authentication (built-in identity)
- Enterprise logins (SAML 2.0)
- Enterprise Groups (Active Directory, LDAP, and SAML 2.0)
- TLS 1.2 and optional support for TLS 1.0 and TLS 1.1 for backward compatibility

02 03

04 05

06

- 08
- 09 10

Deploying ArcGIS Enterprise

¹²Ubuntu only.

¹³You can upgrade using these tools if you first installed your deployment using these tools. You can deploy ArcGIS Enterprise manually–installing and configuring each component in sequence, or you can automate the deployment process by using one of the ArcGIS Enterprise deployment automation tools. Before deciding on a deployment automation tool, you should plan the type of deployment that you will need (e.g., single machine, highly available) and be aware of any other system or architectural specifications your organization has outlined (e.g., you must deploy using Windows, Linux, in a cloud environment).

The following matrix compares common deployment characteristics among the ArcGIS Enterprise deployment automation tools and can be a useful guide in choosing the appropriate deployment automation tool.

DEPLOYMENT CHARACTERISTICS

Cloud deployments On-premises deployments

Windows OS

Linux OS

Single-machine deployments

Multi-machine deployments

High-availability deployments

Base ArcGIS Enterprise deployment setup

ArcGIS Server setup

Image Server setup

GeoEvent Server setup

GeoAnalytics Server setup

Notebook Server setup ¹²

Can be used to upgrade the deployment ¹³

Configurable deployment templates

Configurable machine images

Command line interface

Wizard-style interface



09

11

User Type Licensing

¹⁴The Workgroup level of ArcGIS Enterprise supports a maximum of 10 users per deployment regardless of edition. ArcGIS Enterprise Workgroup Standard includes five Creator user types. You can add up to five additional user types (Viewers, Creators, or a combination thereof), so long as the total number of users for your organization does not exceed 10. As ArcGIS Enterprise Workgroup Advanced already includes 10 Creator user types, additional user types (of any level) cannot be added.

NAMED USER LICENSES

ArcGIS Enterprise uses an identity-based security model. To access content secured within ArcGIS Enterprise, individuals must be a member of the ArcGIS Enterprise deployment and have an identity within the system. Throughout ArcGIS, identities are licensed and allocated through user type licensing.

There are five general-purpose user types: Viewer, Editor, Field Worker, Creator, and GIS Professional.

Viewers can access, view, and interact with any of the items in ArcGIS Enterprise but cannot edit, share, or create any new content. ArcGIS Enterprise Standard and Advanced include unlimited Viewers at no additional cost. Creators can be assigned a broad range of privileges. Users with the Creator user type can create, own, analyze, share, and store data and content within the ArcGIS Enterprise portal.

The Editor, Field Worker, and GIS Professional User Types include a mix of capabilities and included applications. For example, the Field Worker can edit existing datasets through field apps like Survey123 for ArcGIS, Workforce for ArcGIS, and Collector for ArcGIS. The Editor can edit existing data and add new data. The GIS Professional can do everything a Creator user type can do, and includes access to ArcGIS Pro.

At ArcGIS Enterprise 10.8, two user type extensions are available: Utility Network Service and Parcel Fabric Service. User type extensions provide access to underlying functionality and are included with GIS Professional Standard and Advanced and can be added on to other user types.

USER TYPES INCLUDED WITH INITIAL PURCHASE

ArcGIS ENTERPRISE EDITION/LEVEL	CREATOR USER TYPE	VIEWER USER TYPE
ArcGIS Enterprise Standard	5	Unlimited
ArcGIS Enterprise Advanced	50	Unlimited
ArcGIS Enterprise Workgroup Standard ¹⁴	5	0
ArcGIS Enterprise Workgroup Advanced ¹⁴	10	0

Note: The information listed here may not be applicable if you licensed ArcGIS Enterprise as part of a special program, such as an enterprise agreement (EA) or an Education Site License. Contact your Esri representative for more details on how user types apply to your organization.

Historical: A Viewer is functionally equivalent to a Level 1 Named User found in previous releases, and a Creator is equivalent to a Level 2 Named User.

08

02

03

04

05

06

07

09 **10**

Licensing

ArcGIS ENTERPRISE STANDARD AND ADVANCED

You can license ArcGIS Enterprise in two editions, offered at two different capacity levels. The editions are Standard and Advanced, and the levels are ArcGIS Enterprise and ArcGIS Enterprise Workgroup. Used collectively, the name *ArcGIS Enterprise* refers to any edition or level when there isn't a need to distinguish.

ArcGIS ENTERPRISE WORKGROUP LEVEL

ArcGIS Enterprise Workgroup is a lower capacity level of ArcGIS Enterprise. It offers all the same functionality as ArcGIS Enterprise but is designed for use in smaller teams and organizations. The Workgroup level has the following differences:

- There is a limit of 10 simultaneous desktop connections to workgroup geodatabases. Workgroup geodatabases are only supported in Microsoft SQL Server Express and have a maximum size of 10 GB.
- The Workgroup level is only licensed for use with file-based data sources (e.g., file geodatabases) and workgroup geodatabases. It is not licensed for use with enterprise geodatabases.
- The base ArcGIS Enterprise deployment must be an all-in-one installation on a single machine with up to four cores.
- Each server role has a four-core maximum. The additional roles can be deployed on machines that are separate from the base deployment. The spatiotemporal big data store from ArcGIS Data Store may be configured on a single, separate four-core machine.

For more information and to determine if ArcGIS Enterprise Workgroup is a good fit for your organization, contact your local Esri representative.

OTHER SERVER LICENSING

ArcGIS GIS Server Basic is a limited-capability GIS server that primarily provides enterprise geodatabase functionality. ArcGIS GIS Server Basic cannot be federated as part of an ArcGIS Enterprise deployment and does not enable any Web GIS access for functionality.

02

03

04

05

06

07

08

09

10